


Historic, archived document

Do not assume content reflects current scientific knowledge, policies, or practices.

THE PLANT DISEASE REPORTER



Issued By

The Plant Disease Survey

Supplement 38

Index to Supplements 32-37

April 15, 1925

BUREAU OF PLANT INDUSTRY

UNITED STATES DEPARTMENT OF AGRICULTURE

INDEX OF ORGANISMS AND NON-PARASITIC DISEASES
IN

PLANT DISEASE REPORTER
SUPPLEMENTS XXXII - XXXVII, 1924

Plant Disease Reporter
Supplement 38

April 15, 1925

Prepared by Mary G. Van Meter

- Acrostalagmus caulophagus, blackberry, 130.
raspberry, 127.
- Actinomyces scabies, beet, 235.
potato, 155.
- Actinonema rosae, (see Diplocarpon rosae), 406.
- Aecidium brandegei, Asclepias sp., 420.
compositarum euportii, (see Puccinia oleocharidis), 427.
fraxini, (see Puccinia peridermiospora), 360.
gossypii, (see Puccinia hibisciata), 221.
jamesianum, (see A. brandegei), 420.
sp., lettuce, 216.
trillii, Trillium grandiflorum, 445.
- Albino plants, cotton, 222.
- Albino, redwood, 379.
- Albugo bliti, Amaranthus retroflexus, 418.
candida, Brassica arvensis, 422.
Bursa bursa-pastoris, 422.
Chenopodium album, 424.
Dentaria diphylla, 426.
horseradish, 199.
Lepidium campestre, 431.
mustard, 199.
radish, 200.
Sisymbrium officinale, 441.
turnip, 201.
- ipomoeae-panduranae, morning-glory, 399.
sweet potato, 183.
- portulacae, Portulaca oleracea, 437.
tragopogonis, Cirsium arvense, 425.
Cirsium muticum, 425.
salsify, 242.
- Algae, avocado, 142.
mango, 142.
- Alkali injury, apple, 84.
pear, 92.
raspberry, 127.
- Alternaria brassicae, cabbage, 5, 196.
cauliflower, 198.
brassicae nigrescens, (see Macrosporium cucumerinum), 201.
citri, Citrus, 138.
dianthi, carnation, 388.
radicina, carrot, 236.
solani, potato, 331.
tomato, 175, 335.
sp., funkia, 394.
pea, 218.
peach, 105.
peony, 401.
sugar maple, 370.
sweet potato, 184.
tobacco, 234.
violae, pansy, 401.
violet, 416.
- Amerosporium oeconomicum, cowpea, 308.
velvet bean, 310.
- Aphanomyces sp., pea, 216.
- Apiosporium salicinum, poplar, 377.
- Aplanobacter agropyri, Agropyron smithii, 311.

- rhizoctonia*, lettuce, 214.
stewartii, corn, 291.
Armillaria mellea, apple, 81.
 oak, 374.
 peach, 105.
 plum, 109.
 potato, 170.
 privet, 404.
 prune, 109.
Ascochyta althaeina, *Althaea cannabina*, 418.
 hollyhock, 395.
atriplicis, *Atriplex hastata*, 421.
fagopyri, buckwheat, 247.
 flax, 296.
fragariae, strawberry, 119.
gossypii, cotton, 221.
pisi, lupine, 399.
 vetch, 310.
rhei, rhubarb, 241.
 sp., sweet clover, 247, 308.
Aspergillus niger, onion, 26, 33, 192.
 peach, 105.
Asterina gaultheriae, *Gaultheria procumbens*, 428.
- B
- Bacillus amylovorus*, apple, 70, 340.
Crataegus illinoiensis, 368.
Crataegus oxyacantha, 368.
Crataegus tomentosa, 368.
Cydonia japonica, 391.
 hawthorn, 368.
 pear, 89, 343.
Pyrus betulaeifolia, 379.
Pyrus canescens, 379.
Pyrus heterophylla, 379.
Pyrus serotina culta, 379.
Pyrus spp., 379.
 quince, 92.
carotovorus, cabbage, 196.
 carrot, 236.
 celery, 213.
 iris, 397.
 lettuce, 214.
 onion, 26, 192.
 parsley, 239.
 tomato, 179.
 turnip, 201.
lathyri, soybean, 310.
 sweet pea, 413.
melonis, cantaloupe, 203.
phytophthorus, potato, 157, 329.
 sorghi, sorghum, 297.
 sp., *Arctium lappa*, 420.
 onion, 33.
tracheiphilus, cantaloupe, 201.
 cucumber, 203.
 squash, 150, 207.
 watermelon, 211.
 Bacteria, barberry, 387.
Berberis amurensis japonica, 387.
Berberis sargentiana, 387.
Berberis subcauliata, 387.
Berberis thunbergi, 387.
Berberis verruculosa, 387.
Berberis vulgaris, 387.
Berberis weichangensis, 387.
Berberis yunnanensis, 387.
 Chinese cabbage, 199.
 Bacterial heart rot, onion, 192.
 Bacterial leaf spot, bamboo, 387.
 chestnut, 363.
 gladiolus, 394.
 palmetto, 401.
 Bacterial soft rot, onion, 23.
 potato, 169.
 Bacterial storage rot, horseradish, 199.
 Bacterial twig blight, pecan, 146.
 Bacterial wilt, hibiscus, 395.
Bacterium alboprecipitans, barley, 280.
Chaetochloa geniculata, 311.
Chaetochloa italica, 311.
Chaetochloa lutescens, 311.
Chaetochloa spp., 246.
 grasses, 246.
 oats, 287.
 rye, 277.
 wheat, 273.
andropogoni, broomcorn, 246.
 sorghum, 246, 297.
angulatum, tobacco, 231.
apii, celery, 213.
aptatum, nasturtium, 399.
atrofaciens, wheat, 247, 273.
campestre, Brussels sprouts, 13, 197.
 cabbage, 5, 11, 13, 195.
 cauliflower, 13, 197.
 rutabaga, 11, 200.
 turnip, 11, 201.
cerasi, apricot, 113.
 cherry, 111.
citri, Citrus, 137.
Citrus trifoliata, 137.
citriputeale, Citrus, 137.

- coronafaciens atropurpureum*, *Agropyron repens*, 246, 311.
Bromus inermis, 246, 311.
Bromus spp., 246, 311.
coronafaciens, oats, 286.
croci, Saffron crocus, 391.
delphinii, delphinium, 392.
dissolvens, corn, 292.
erodii, geranium, 394.
flaccumfaciens, bean, 150, 186.
glycineum, soybean, 309.
gummisudans, gladiolus, 394.
hibisci, hibiscus, 395.
juglandis, English walnut, 146.
lachrymans, cucumber, 205.
maculicolum, cabbage, 197.
 cauliflower, 198.
malvacearum, Arizona wild cotton, 151.
 cotton, 150, 219, 336.
 Thurberia thespesioides, 151.
marginatum, gladiolus, 394.
medicaginis, alfalfa, 300.
melleum, tobacco, 151, 233.
mori, mulberry, 132.
panici, *Panicum miliaceum*, 246, 311.
pelargoni, geranium, 394.
phaseoli, bean, 184, 337, 338.
phaseoli sojense, soybean, 309.
pisi, pea, 218.
pruni, apricot, 113.
 cherry, 111.
 peach, 98, 105.
 plum, 108.
 prune, 108.
savastanoi, olive, 143.
solanacearum, *Chrysanthemum coronarium*, 151, 243.
 eggplant, 237.
 nasturtium, 400.
 pepper, 241.
 potato, 169.
 tango, 151, 243.
 tobacco, 234.
 tomato, 176, 335.
 sp., geranium, 394.
 lettuce, 215.
 poinsettia, 403.
 velvet bean, 310.
 zinnia, 417.
tabacum, lima bean, 151, 190.
 tobacco, 150, 230.
translucens undulosum, wheat, 266.
trifoliorum, *Trifolium alexandrinum*, 307.
 Trifolium hybridum, 307.
 Trifolium incarnatum, 307.
 Trifolium medium, 307.
 Trifolium pannonicum, 307.
 Trifolium pratense, 307.
 Trifolium repens, 307.
 Trifolium spp., 246, 307.
tumefaciens, apple, 79.
 beet, 235.
 blackberry, 130.
 blueberry, 133.
 cherry, 111.
 forsythia, 393.
 grape, 116.
 hibiscus, 395.
 Ligustrum hcidum, 404.
 loganberry, 128.
 marguerite, 399.
 peach, 100.
 pear, 92.
 pecan, 146.
 phlox, 403.
 plum, 109.
 privet, 404.
 prune, 109.
 quince, 92.
 raspberry, 126.
 Rosa rubiginosa, 405.
 rose, 405.
 sugar beet, 230.
 turnip, 201.
 weigelia, 416.
vascularum, sugar cane, 225.
vesicatorium, pepper, 241.
 tomato, 149, 178.
vignae, cowpea, 246, 308.
 lima bean, 190.
viridifaciens, lima bean, 151, 190.
 woodsii, carnation, 389.
 Basal rot, onion, 32.
 Basisporium gallarum, corn, 293.
 Bitter pit, apple, 83.
 Black blight, delphinium, 392.
 Black end, pear, 92.
 Black heart, apricot, 113.
 celery, 212.
 potato, 170.
 Black leaf, pear, 92.
 Black measles, grape, 116.
 Black melanose, Citrus, 140.
 Black mold, onion, 24.

- Black pit, pecan, 145.
 Black root rot, tobacco, 149.
 Black spot, English walnut, 146.
 Black wart, potato, 16.
 Blade blight, oats, 287.
 Blast, oats, 286.
 Blight, box, 388.
 Citrus, 139.
 Blossom drop, tomato, 179.
 Blossom end rot, tomato, 175.
 watermelon, 208.
 Botryosphaeria berengeriana, pecan,
 146.
 ribis, currant, 131.
 rose, 405.
 Botrytis allii, onion, 7, 26, 33, 191.
 cinerea, Easter lily, 398.
 lettuce, 214.
 lima bean, 190.
 lupine, 399.
 onion, 192.
 pepper, 241.
 rose, 405, 409.
 paeoniae, Paeonia grandiflora, 402.
 Paeonia officinalis rubra, 402.
 peony, 402.
 sp., apple, 84.
 Arisaema triphyllum, 420.
 aster, 386.
 blackberry, 130.
 Cannabis sativa, 422.
 cherry, 111.
 cowpea, 309.
 endive, 237.
 Erythronium sp., 427.
 onion, 16.
 peanut, 240.
 pear, 92.
 peony, 402.
 Rosa sp., 406.
 rose, 411.
 snowberry, 414.
 strawberry, 119.
 Symplocarpus foetidus, 443.
 tulip, 414.
 tulipae, Tulipa fosturiana, 415.
 Tulipa gesneriana, 415.
 Tulipa greigi, 415.
 Tulipa hageri, 415.
 Tulipa kaufmanniana, 415.
 Tulipa linifolia, 415.
 Tulipa primulina, 415.
 Tulipa suaveolens, 415.
 Tulipa tubergiana, 415.
 Brachysporium sp., wheat, 271.
 Bremia lactucae, Lactuca canadensis
 regel, 430.
 lettuce, 213.
 Brown bark spot, apple, 84.
 Brown heart, apple, 84.
 Brown streak, potato, 171.
 Bud galls, Viburnum, 415.
 Bud rot, coconut, 147.
 pepper, 241.
 Bullaria bardanae, (see Puccinia bar-
 danae), 420.
 Burn of fruit, apple, 85.
 Bursting, cabbage, 197.
- C
- Caecoma dubium, western hemlock, 352.
 Caliciopsis pinea, white pine, 353.
 Calyptospora columnaris, Cascade fir,
 351.
 Vaccinium canadense, 445.
 Vaccinium pennsylvanicum, 445.
 Canker, elm, 367.
 sycamore, 380.
 willow, 381.
 Cassytha sp., Citrus, 139.
 Cephaluros virescens, Citrus, 139.
 guava, 143.
 mango, 142.
 Cephalosporium acremonium, corn, 246.
 292.
 asteris, michaelmas daisy, 392.
 Cephalothecium roseum, banana, 143.
 pecan, 146.
 sp., nectarine, 106.
 Cercospora althaeina, hollyhock, 395.
 angulata, currant, 37, 131.
 apii, celery, 212.
 parsnip, 239.
 armoraciae, horseradish, 199.
 atricincta, zinnia, 417.
 atro-marginalis, Solanum sp., 441.
 avicularis, Polygonum erectum, 437.
 batatae, sweet potato, 151, 183.
 beticola, beet, 235.
 sugar beet, 226.
 swiss chard, 243.
 bloxami, cabbage, 197.
 Chinese cabbage, 199.
 bolleana, fig, 141.
 callae, calla, 388.

- callicarpae*, *Callicarpa americana*, 422.
capsici, pepper, 241.
cerasella, cherry, 111.
circumscissa, peach, 105.
citrullina, watermelon, 210.
cornicola, dogwood, 365.
cruenta, bean, 189.
 cowpea, 308.
cucurbitae, cantaloupe, 203.
 pumpkin, 150, 206.
duddiae, onion, 151, 192.
fici, fig, 141.
flagelliformis, spinach, 242.
fusca, pecan, 146.
gaurae, *Gaura biennis*, 428.
gossypina, cotton, 221.
gymnocladi, Kentucky coffee tree, 365.
hydropiperis, *Polygonum* sp., 437.
lactucae, lettuce, 151, 215.
longipes, sorghum, 297.
mali, apple, 84.
medicaginis, alfalfa, 300.
moricola, mulberry, 132.
nicotianae, tobacco, 233.
personata, peanut, 239.
physalidis, ground cherry, 230.
plantaginis, *Plantago* spp., 436.
resedae, mignonette, 399.
rhoina, smooth sumac, 379.
ribicola, *Ribes sanguineum*, 439.
ricinelli, castor bean, 236.
rosicola, rose, 406.
rubi, blackberry, 130.
sp., alsike clover, 307.
 asparagus, 150, 235.
 avocado, 142.
 fig, 141.
 New Zealand spinach, 242.
 sorghum, 297.
 sycamore, 380.
 Tetragonia expansa, 242.
tiliae, American linden, 369.
unicolor, Easter lily, 398.
violae, violet, 416.
viticola, (see *Isariopsis clavispora*), 116.
zebrina, *Trifolium hybridum*, 444.
Cercospora aceris, Oregon maple, 370.
alni, red alder, 360.
persicae, peach, 105.
sp., poppy, 404.
Chaetodiplodia sp., peanut, 240.
Chlorosis, bean, 189.
 Citrus, 140.
 currant, 130.
 grape, 116.
 lettuce, 216.
 maple, 373.
 peach, 105.
 peanut, 240.
 potato, 171.
 rose, 411.
Choanephora sp., sweet potato, 184.
Cicinnobolus caesatii, matrimony vine, 399.
Cintractia caricis, *Carex stricta*, 423.
Cladosporium carpophilum, apricot, 113.
 cherry, 111.
 nectarine, 106.
 peach, 97, 341.
 plum, 108.
 prune, 108.
citri, avocado, 142.
 Citrus, 135.
cucumerinum, cantaloupe, 150, 203.
 cucumber, 206.
fulvum, tomato, 149, 175.
herbarum citricolum, *Citrus*, 139.
paeoniae, peony, 402.
Claviceps purpurea, *Agropyron repens*, 311.
 Agropyron smithii, 311.
 Agropyron sp., 311.
 barley, 280.
 Bromus inermis, 311.
 Calamagrostis neglecta, 311.
 Elymus macounii, 311.
 Elymus sp., 311.
 Festuca elatior, 311.
 oats, 287.
 Paspalum sp., 311.
 rye, 275, 321.
 wheat, 272.
Coccomyces hiemalis, cherry, 109, 346.
 lutescens, black cherry, 362.
 common choke cherry, 362.
 prunophorae, plum, 108.
 prune, 108.
 sp., pin cherry, 362.
Cold injury, pecan, 146.
Coleosporium elephantopodis, *Elephantopus tomentosus*, 427.
ipomoeae, morning-glory, 399.

- solidaginis*, aster, 421.
Aster caesia, 421.
 pine, 358.
 shore pine, 352.
Solidago altissima, 441.
Solidago latifolia, 442.
Solidago rugosa, 442.
Solidago spp., 442.
 Collar blight, tomato, 179.
 Collar rot, apple, 84.
Cajanus indicus, 237.
gandules pigeon pea, 237.
Colletotrichum antirrhini, snapdragon,
 412.
atramentarium, potato, 170.
cereale, *Agropyron repens*, 311.
Agrostis palustris, 311.
Anthoxanthum odoratum, 311.
 barley, 280.
Bromus secalinus, 311.
Festuca elatior, 311.
Holcus halepensis, 312.
 oats, 287.
Poa pratensis, 312.
 rye, 275.
 wheat, 272.
circinans, onion, 7, 16, 33, 191.
falcatum, sugar cane, 224, 225.
gloeosporioides, avocado, 142.
 Citrus, 137.
 mango, 142.
gossypii, cotton, 336.
hibisci, hibiscus, 395.
higginsianum, turnip, 200.
lagenarium, cantaloupe, 202.
 cucumber, 205.
 pumpkin, 150, 206.
 watermelon, 207.
lindemuthianum, bean, 186, 337, 338.
malvarum, hollyhock, 396.
nigrum, pepper, 240.
omnivorum, aspidistra, 385.
phomoides, tomato, 178.
pisi, sweet pea, 413.
 sp., aster, 385.
 camphor, 361.
 eggplant, 237.
 guava, 143.
Hibiscus sabdariffa, 429.
Humulus lupulus, 429.
 magnolia, 369.
 okra, 239.
 palm, 400.
 persimmon, 142.
 phlox, 403.
 sorghum, 297.
spinaciae, spinach, 242.
trifolii, alfalfa, 300.
 red clover, 301.
 sweet clover, 308.
violae-tricoloris, pansy, 401.
 violet, 416.
Collybia velutipes, American elm, 366.
 Common scab, potato, 16.
Coniosporium sp., (see *Basisporium*
gallarum), 293.
Coniothyrium concentricum, *Yucca*
filamentosa, 417.
fuckelii, (see *Leptosphaeria*
coniothyrium), 409.
hellebori, Christmas rose, 390.
pyrinum, apple, 83.
 rose, 410.
 sp., rose, 406, 411.
Coriöulus balsameus, (see *Polyporus*
balsameus), 351.
 Cork, apple, 84.
Corticium lactum, fig, 141.
stevensii, pear, 91.
vagum, carrot, 236.
 (see *Rhizoctonia solani*), 158.
vagum solani, strawberry, 120.
Coryneum beijerinckii, almond, 147.
 apricot, 112.
 cherry, 111.
 peach, 101.
rhododendri, coast rhododendron, 404.
 Cracked melon, cantaloupe, 203.
 Crinkle, apple, 84.
Cronartium cerebrum, pine, 358.
 scrub pine, 358.
 western yellow pine, 353.
comptoniae, mugho pine, 352.
 western yellow pine, 353.
filamentosum, western yellow pine, 353.
fusiforme, scarlet oak, 373.
harknessii, shore pine, 352.
pyriforme, shore pine, 352.
 western yellow pine, 353.
ribicola, black currant, 355.
 currant, 130.
 gooseberry, 132.
Ribes nigrum, 355.
 western white pine, 352.
 white pine, 353.
stalactiforme, western yellow pine, 353.

- Crown rot, oats, 287.
Cryptosporella viticola, grape, 116.
Cryptosporium acicolum, (see *Septoria acicola*), 353.
 Curly dwarf, potato, 166.
 Curly top, sugar beet, 227.
Cuscuta gronovii, *Agropyron repens*, 312.
Ambrosia elatior, 419.
Ambrosia trifida, 419.
Aster paniculatus, 421.
Barbarea vulgaris, 421.
Cephalanthus occidentalis, 423.
Convolvulus sepium, 425.
Impatiens sp., 430.
Lactuca virosa, 431.
 onion, 192.
Oncoclea sensibilis, 433.
Persicaria pennsylvanica, 435.
Polygonum sp., 437.
 red maple, 370.
Rumex crispus, 440.
Salix nigra, 381.
Solanum dulcamara, 441.
Solidago altissima, 441.
Solidago spp., 442.
Urticastrum divaricatum, 445.
 willow, 380.
 sp., azalea, 386.
 Azalea formosa, 386.
 beet, 235.
Cirsium arvense, 425.
 red clover, 307.
 spp., alfalfa, 301.
Cylindrocladium scoparium, rose, 406.
Cylindrosporium padi, apricot, 113.
 sp., *Caltha palustris*, 422.
Cystopus bliti, (see *Albugo bliti*), 418.
candidus, cabbage, 5, 12.
 cauliflower, 5, 12.
 radish, 12.
Cystospora batata, sweet potato, 183, 334.
Cytospora chrysosperma, Carolina poplar, 376.
 poplar, 377.
 quaking aspen, 377.
 sp., apple, 84.
 poplar, 377.

D

Daedalea confragosa, apple, 84.

- Daldinia concentrica*, apple, 84.
 Damping off, azalea, 386.
 ginseng, 238.
 okra, 239.
 pine, 359.
 Decay, Douglas fir, 351.
Dendrophoma obscurans, strawberry, 119.
Diachaea leucopodia, strawberry, 120.
Diaporthe batatatis, sweet potato, 184.
phaseolorum, lima bean, 150, 190.
 sojæ, soybean, 246, 309.
 sp., red alder, 360.
umbrina, *Rosa setigera*, 409.
 rose, 407, 411.
Dibotryon morbosum, (see *Plowrightia morbosa*), 362.
Dicaeoma antirrhini, (see *Puccinia antirrhini*), 412.
eleocharidis, (see *Puccinia eleocharidis*), 427.
obscurum, (see *Puccinia campestris*), 430.
sambuci, (see *Puccinia sambuci*), 366.
Dicoccum rosae, rose, 406.
Didymellina iridis, iris, 397.
Didymium sp., strawberry, 120.
 Die-back, Citrus, 140.
Dimerosporium tsugae, western hemlock, 352.
Diplocarpon rosae, rose, 406.
Diplodia gossypina, cotton, 221.
natalensis, Citrus, 135.
 pruni, plum, 109.
 prune, 109.
 sp., Citrus, 139.
 mango, 142.
 orchid, 400.
 watermelon, 208.
tubericola, sweet potato, 183.
 zeæ, corn, 290.
Discosia sp., *Rhododendron maximum*, 404.
Dothichiza populea, Carolina poplar, 377.
 Lombardy poplar, 377.
 poplar, 378.
 silver poplar, 376.
Dothidella castanopsidis, giant chin-
 quapin, 365.
 ulmi, (see *Gnomonia ulmea*), 366.
Dothiorella sp., rose, 411.
 Drought injury, apple, 85.

English walnut, 146.
 grape, 116.
 lima bean, 190.
 pea, 218.
 pear, 92.
 plum, 109.
 prune, 109.
 Drought spot, apple, 85.
 plum, 109.
 prune, 109.
 Drowning, tobacco, 234.
 Dry weather injury, bean, 189.
 potato, 171.

E.

Early drop, apple, 85.
 Ear rots, corn, 328.
 Emposca mali, potato, 164.
 Endothia parasitica, chestnut, 363.
 Enlarged lenticels, potato, 171.
 Entomosporium maculatum, (see *Fabraea maculata*), 368.
 Entyloma australe, ground cherry, 238.
 Physalis francheti, 238, 435.
 Physalis pruinosa, 151, 238.
 435.
 Physalis subglabrata, 435.
 compositarum, *Ambrosia elatior*, 418.
 floerkeae, *Florkea proserpinacoides*, 428.
 Ephelis mexicana, *Cenchrus echinatus*, 423.
 Epichloe typhina, *Elymus canadensis*, 312.
 Erysiphe aggregata, speckled alder, 359.
 cichoracearum, *Ambrosia elatior*, 418, 419.
Ambrosia trifida, 419.
Aster laevis, 421.
Aster lateriflorus, 421.
Aster novae-angliae, 421.
Aster paniculatus, 421.
Aster puniceus, 421.
Aster spp., 421.
 cantaloupe, 203.
 chrysanthemum, 390.
 cucumber, 206.
Eupatorium purpureum, 427.
Eupatorium urticaefolium, 427.
 golden glow, 395.
Helianthus longifolius, 429.
Inula helenium, 430.
 Jerusalem artichoke, 234.
Lactuca virosa, 431.
Nabalus albus, 432.
 phlox, 403.
Plantago major, 435.
Plantago rugelii, 435.
 pumpkin, 206.
 salsify, 242.
Solidago altissima, 441.
Solidago juncea, 442.
Solidago latifolia, 442.
Solidago spp., 442.
 squash, 207.
 sunflower, 317.
Urticastrum divaricatum, 445.
Verbena hastata, 415.
Verbena sp., 445.
Verbena urticaefolia, 415.
 watermelon, 210.
 galeopsidis, *Chelone glabra*, 424.
Stachys ciliata, 443.
Stachys tenuifolia, 443.
 graminis, *Agropyron repens*, 312.
Agrostis sp., 312.
 barley, 280.
Dactylis glomerata, 312.
Elymus canadensis, 312.
Elymus virginicus, 312.
 oats, 287.
Poa compressa, 312.
Poa pratensis, 312.
 rye, 276.
 wheat, 273.
 polygoni, *Amphicarpa monoica*, 419.
 bean, 189.
 cowpea, 308.
 cucumber, 206.
 dahlia, 391.
Erechtites hieracifolia, 427.
 hardy delphinium, 392.
 lima bean, 190.
 matrimony vine, 399.
Oenothera biennis, 433.
Oenothera sp., 433.
Parnassia caroliniana, 434.
 pea, 218.
Persicaria persicaria, 435.
Polygonum aviculare, 436.
Polygonum erectum, 437.
Ranunculus abortivus, 438.
Ranunculus acris, 438.
 red clover, 302.

- sweet pea, 413.
 sp., clover, 247.
 dahlia, 391.
 Polygonum sp., 437.
 red clover, 302.
 Trifolium pratense, 303.
 Excessive moisture, potato, 171.
 Exoascus aceris, Acer grandidentatum, 372.
 amentorum, (see E. tonquinetii), 359.
 communis, plum, 107.
 prune, 107.
 Prunus americana, 107.
 deformans, peach, 95, 341.
 filicinus, (see Taphrina filicina), 393.
 mirabilis, plum, 108.
 prune, 108.
 pruni, plum, 107.
 prune, 107.
 Prunus americana, 107.
 spp., mountain alder, 360.
 tosquinetii, speckled alder, 359.
 Exobasidium azeleae, azalea, 386.
 sp., azalea, 386.
 vaccinii, azalea, 386.
 blueberry, 133.
 huckleberry, 133.
 manzanita, 369.
 Vaccinium vitisidaea, 133, 445.
 Exosporium concentricum, euonymus, 393.
 palmivorum, Canary date palm, 400.
 date, 143.
 date palm, 401.
- F
- Fabraea maculata, hawthorn, 368.
 pear, 91, 343.
 quince, 92.
 False blossom, cranberry, 133.
 Fasciation, apple, 84.
 raspberry, 127.
 Fertilizer injury, cotton, 221.
 potato, 170.
 Flagellate infection, Asclepias sp., 421.
 Flyspeck, American linden, 369.
 blackberry, 130.
 Celastrus scandens, 423.
 Chelone glabra, 424.
 maple, 373.
 roundleaf dogwood, 365.
 Rubus odoratus, 411.
 Salix discolor, 381.
 Smilax sp., 441.
 Solidago serotina, 442.
 Pomes annosus, western hemlock, 352.
 fraxinophilus, ash, 361.
 officinalis, black spruce, 359.
 pini, white pine, 353.
 ribis, currant, 130.
 Foot rot, wheat, 271.
 Frenching, tobacco, 233.
 Frogeye, apple, 61.
 Frost heaving, western yellow pine, 353.
 Frost injury, apple, 85.
 asparagus, 235.
 bean, 189.
 cherry, 111.
 lettuce, 216.
 maple, 373.
 onion, 192.
 pea, 218.
 peach, 105.
 pear, 92.
 potato, 171.
 quince, 92.
 spinach, 242.
 strawberry, 120.
 sugar maple, 371.
 tomato, 179.
 watermelon, 211.
 Fuligo sp., strawberry, 120.
 violaceae, sweet potato, 184.
 Fusarium batatatis, sweet potato, 180, 333.
 berkeleyi, hibiscus, 395.
 cepa, onion, 191.
 cinnabarinum, box elder maple, 370.
 conglutinans, cabbage, 5, 150, 193, 199.
 kale, 150, 199.
 conglutinans callistephi, aster, 385.
 cubense, banana, 143.
 Manila hemp, 238.
 Musa textilis, 238.
 Musa textilis nei, 432.
 discolor sulfureum, potato, 161.
 eumartii, potato, 161.
 gemmiperda, peach, 37, 105.
 hyperoxysporum, potato, 161.
 sweet potato, 180, 333.
 incarnatum, aster, 385.

- carnation, 389.
 laythri, sweet pea, 413.
 lini, flax, 294.
 lycopersici, tomato, 149, 173, 335.
 malii, onion, 26, 31, 191.
 martii pisi, pea, 151.
 negundi, box elder maple, 370.
 niveum, watermelon, 209.
 onion, 22.
 oxysporum, potato, 160, 161, 329.
 sweet potato, 183.
 pyrochrom, box elder maple, 370.
 radiculicola, potato, 161.
 rubi, blackberry, 130.
 dewberry, 128.
 sp., alfalfa, 301.
 apple, 84.
 asparagus, 235.
 asparagus fern, 384.
 aster, 385.
 avocado, 142.
 barley, 280.
 bean, 150.
 Cannabis sativa, 238.
 cantaloupe, 203.
 celery, 212.
 chrysanthemum, 390.
 dahlia, 391.
 Easter lily, 398.
 hemp, 238.
 hyacinth, 396.
 leek, 238.
 onion, 34.
 Paspalum dilatatum, 312.
 Paspalum sp., 312.
 pea, 216.
 peach, 105.
 peanut, 240.
 pecan, 146.
 peony, 402.
 pepper, 240.
 physostegia, 403.
 poinsettia, 404.
 Solanum nigrum guineense, 243.
 sorghum, 298.
 soybean, 309.
 spinach, 151.
 squash, 207.
 strawberry, 119, 120.
 sugar beet, 230.
 sweet pea, 413.
 sweet potato, 150.
 tobacco, 234.
 wonderberry, 243.
 spinaciae, spinach, 151, 242.
 spp., bean, 188, 337, 338.
 corn, 289.
 gladiolus, 394.
 red clover, 306.
 wheat, 271.
 trichothecioides, potato, 161.
 vasinfectum, cotton, 219, 336.
 okra, 239.
 sweet pea, 413.
 vasinfectum tracheiphilum, cowpea,
 308.
 Fusicladium effusum, pecan, 144.
 sp., pea, 151, 218.
 Fusicoccum putrefaciens, cranberry, 133.
- G
- Gibberella saubinetii, barley, 280.
 oats, 287.
 rye, 276.
 wheat, 264, 319.
 spp., corn, 289.
 Gloeodes pomigena, apple, 80.
 Gloeosporium aridum, white ash, 360.
 begoniae, begonia, 387.
 caryae, (see Gnomonia caryae), 368.
 caulivorum, red clover, 301.
 crotonis, Codiaeum sp., 425.
 frigidum, euonymus, 393.
 limetticulum, Citrus, 137.
 musarum, banana, 143.
 phyllachoroides, tomato, 179.
 piperatum, pepper, 240.
 rosae, rose, 409.
 rumicis, Rumex acetosa, 440.
 sp., aguacate, 144.
 blueberry, 133.
 camphor, 361.
 cherimoyer, 144.
 Codiaeum variegatum, 425.
 dewberry, 128.
 mango, 142.
 Norway maple, 370.
 palm, 400.
 persimmon, 142.
 Rosa sp., 409.
 rose, 411.
 Royal poinciana, 403.
 speckled alder, 360.
 sugar maple, 370.
 white ash, 360.

- ulmeum, (see *Gnomonia ulmea*), 366.
 venetum, (see *Plectodiscella veneta*), 121.
Glomerella cingulata, apple, 57, 339.
 fig, 141.
 grape, 116.
 pecan, 145.
 quince, 92.
 sweet pea, 413.
gossypii, cotton, 218.
nephrolepis, Boston fern, 393.
 sword fern, 393.
piperata, pepper, 240.
psidii, guava, 143.
rufomaculans, (see *G. cingulata*),
 413.
Gnomonia caryae, hickory, 368.
leptostyla, black walnut, 380.
 butternut, 361.
ulmae, American elm, 366.
 elm, 367.
 slippery elm, 366.
veneta, oak, 374.
 swamp white oak, 373.
 sycamore, 380.
Graphiola phoenicis, Canary date palm,
 400.
 date, 143.
 palm, 400.
 palmetto, 401.
 Green spotting, Citrus, 140.
Guignardia aesculi, horse chestnut,
 369.
 bidwellii, ampelopsis, 384.
 Ampelopsis quinquefolia, 384.
 Ampelopsis tricuspidata, 384.
 grape, 113, 347.
 Gummosis, Citrus, 139.
 peach, 105.
Gymnoconia interstitialis, blackberry,
 128.
 dewberry, 127.
 raspberry, 122.
 Rubus hispidus, 439.
 Rubus sp., 439.
Gymnosporangium, apple, 339.
 betheli, hawthorn, 368.
 blasdaleanum, black hawthorn, 368.
 California incense cedar, 350.
 ellisii, white cedar, 350.
 floriforme, small fruited hawthorn,
 368.
 germinale, hawthorn, 368.
 quince, 92.
 globosum, Colorado juniper cedar,
 350.
 mountain ash, 361.
 red cedar, 350.
 juniperi-virginianae, apple, 63.
 hawthorn, 368.
 red cedar, 350.
- ### H
- Hail injury, apple, 85.
 poplar, 378.
 tomato, 179.
 watermelon, 211.
 Heat canker, flax, 295.
Helminthosporium avenae-sativae,
 oats, 287.
 barley, 249.
 bromi, *Bromus inermis*, 312.
 californicum, barley, 246, 280.
 cyclops, *Danthonia spicata*, 312.
 dictyoides, *Festuca elatior*, 312.
 gramineum, barley, 248, 278, 323.
 halodes, *Distichlis spicata*, 312.
 leucostylum, *Eleusine indica*, 312.
 micropus, *Paspalum boscianum*, 312.
 monoceras, *Echinochloa crusgalli*,
 312.
 oryzae, rice, 293.
 ravenelii, *Sporobolus berteroa-*
 nus, 313.
 rostratum, *Eragrostis major*, 313.
 sacchari, sugar cane, 225.
 sativum, *Agropyron repens*, 313.
 barley, 279.
 rye, 276.
 wheat, 271, 273.
 siccans, *Lolium multiflorum*, 313.
 sp., *Agropyron smithii*, 312.
 Chloris gayana, 312.
 Dactylis glomerata, 312.
 Elymus virginicus, 312.
 Festuca elatior, 312.
 Holcus halepensis, 312.
 oats, 287.
 Stenotaphrum secundatum, 312.
 wheat, 271.
 spp., grasses, 246.
 stenacrum, *Agrostis stolonifera*,
 313.
 teres, barley, 279.
 triseptatum, *Notholcus lanatus*,
 313.

turcicum, corn, 292.
 vagans, *Poa pratensis*, 313.
Heterodera radicum, apricot, 112.
 aster, 386.
 bean, 189.
 beet, 235.
 begonia, 387.
 butterflybush, 388.
 cabbage, 197.
 cantaloupe, 203.
 carrot, 236.
 celery, 213.
 chrysanthemum, 390.
 clematis, 391.
 cotton, 221, 336.
 cucumber, 206.
 deutzia, 393.
 fig, 141.
 forsythia, 393.
 grape, 116.
 hibiscus, 395.
 hydrangea, 396.
 lettuce, 216.
 okra, 239.
 parsnip, 239.
 peach, 104.
 peony, 402.
 pepper, 241.
 pineapple, 143.
 plum, 109.
 potato, 149, 170.
 privet, 404.
 prune, 109.
 squash, 207.
 strawberry, 120.
 sugar beet, 229.
 sweet potato, 184.
 tobacco, 233.
 tomato, 177.
 watermelon, 211.
 weigelia, 416.
 schachtii, sugar beet, 228.
 sp., rose, 409.
 spp., sugar beet, 228.
Heterosporium gracile, (see *Didymellina*
 iridis), 397.
 phlei, timothy, 311.
 Hollow heart, potato, 171.
 Hollow stem, tomato, 179.
 Hopperburn, potato, 164, 331.
Hyalospora cheilanthidis, *Pellaea atropurpurea*, 434.
Hyalopus sp., corn, 292.

Hymenochaete agglutinans, common
 lilac, 398.
Hypoderma robustum, Cascade fir, 351.
 strobicicola, white pine, 353.
Hypodermella laricis, western larch,
 352.
Hypoxylon pruina, quaking aspen,
 377.

I

Inonotus schini, California pepper
 tree, 376.
 Internal breakdown, apple, 84.
 sweet potato, 151, 183.
 Internal browning, apple, 84.
 Internal brown spot, potato, 171.
 Intumescences, pea, 218.
Isariopsis clavisporea, grape, 116.

J

Jonathan spot, apple, 84.

K

Kernel rot, sorghum, 298.
 Kernel spot, pecan, 146.
Kuehneola albida, (see *K. uredinis*),
 130.
 uredinis, blackberry, 130.
Kunkelia nitens, blackberry, 128.
 dewberry, 127.

L

Leaf blight, corn, 293.
 Leaf curl, raspberry, 125, 348.
 Leaf fall, Norway maple, 370.
 Leaf roll, dahlia, 391.
 potato, 163, 329.
 tomato, 179.
 Leaf scorch, American plum, 376.
 catalpa, 362.
 Cornus alba, 366.
 Cornus koenigii, 366.
 Cornus koreana, 366.
 Cornus kousa, 365.
 Cornus mas, 366.
 dogwood, 365.
 Leaf spot, pecan, 146.
 peony, 402.

tobacco, 233.
Leptosphaeria coniothyrium, blackberry,
 130.
 gooseberry, 37, 132.
 raspberry, 126.
 rose, 409.
Leptothyrium pomi, apple, 80.
 camphor, 361.
 Lichens, avocado, 142.
 pecan, 146.
 Lightning injury, Citrus, 140.
 cotton, 222.
 potato, 171.
 soybean, 310.
 Little leaf, peach, 105.
 Little peach, peach, 101, 341.
Lophodermium abietis, great silver fir,
 351.

M

Macrophoma candollei, box, 388.
 fici, fig, 141.
 phaseoli, bean, 189.
 sp., maple, 371.
 Vitis sp., 446.
Macrosporium carotae, carrot, 235.
 cladosporioides, lettuce, 216.
 cucumerinum, cantaloupe, 201.
 cucumber, 206.
 watermelon, 211.
 herculeum, horseradish, 199.
 malvae, Malva rotundifolia, 431.
 nigricantium, cotton, 221.
 parasiticum, onion, 14, 15, 16, 30,
 31, 191.
 saponariae, Saponaria officinalis,
 440.
 sarcinaeforme, red clover, 307.
 solani, eggplant, 237.
 potato, 154.
 sp., carrot, 235.
 corn, 293.
 onion, 26, 33.
 popper, 240.
 Smilacina racemosa, 441.
 Xanthosoma sp., 243.
 yautia, 243.
 tabacinum, tobacco, 234.
Magnusiella potentillae, *Potentilla*
 canadensis, 437.
Potentilla fissa, 437.
Marssonina juglandis, Eng. walnut, 146.

(see *Gnomonia leptostyla*),
 361, 380.
 populi, poplar, 378.
 violae, violet, 416.
Marssonina panattoniana, lettuce, 215.
 Measles, apple, 84.
Melampsora bigelowii, *Salix amygdaloides*, 381.
Salix discolor, 381.
Salix lucida, 381.
 willow, 381.
 larici-capraearum, willow, 381.
 larici-populina, poplar, 378.
 lini, flax, 294.
 medusae, Southern cottonwood poplar,
 376.
 salicis capraea, (see *M. larici-capraearum*), 381.
Melampsoropsis ledicola, black spruce,
 359.
 piperiana, Coast rhododendron, 404.
Melanconium bicolor, European white
 birch, 361.
 fuliginum, grape, 116.
 sacchari, sugar cane, 225.
Melasmia menziesiae, *Menziesia ferruginea*, 432.
Meliola sp., Citrus, 139.
 sweet potato, 184.
Merulius lacrymans, furniture, 382.
 house, 382.
Microsphaera alni, azalea, 386.
 Azalea esmeralda, 386.
 Azalea gandavensis, 386.
 Azalea mollis, 386.
 Azalea pontica, 386.
 Ceanothus americanus, 423.
 chestnut, 363.
 common lilac, 398.
 honeysuckle, 396.
 Pagoda dogwood, 365.
 pecan, 146.
 red alder, 360.
 red osier dogwood, 365.
 sweet pea, 413.
 Tatarian honeysuckle, 396.
 alni extensa, oak, 374.
 Quercus rubra, 374.
 alni vaccinii, catalpa, 361.
 diffusa, *Meibomia canadensis*, 432.
 snowberry, 414.
 Symphoricarpos racemosus, 414.
 Symphoricarpos vulgaris, 414.

- euonymi, euonymus, 393.
 russellii, *Oxalis corniculata*, 434.
 sp., American alder, 366.
 Missing hills, potato, 171.
 Mollisia earliana, strawberry, 118.
 Morillochaetes infuscens, sweet potato,
 182.
 Monochaetia sp., rhododendron, 404.
 Montagnella heliopsidis, *Aster* spp.,
 421.
 Solidago spp., 442.
 Mosaic, agrimony, 417.
 alfalfa, 247, 301.
 alsike clover, 305.
 apple, 82.
Arctium lappa, 420.
Arctium minus, 420.
Asclepias cornuti, 421.
 aster, 386.
 bean, 187, 337, 338.
 blackberry, 130.
Brachiaria platyphylla, 313.
 cantaloupe, 202.
 celery, 213.
Chaetochloa lutescens, 313.
Chaetochloa magna, 313.
 clover, 247.
Comarum palustre, 425.
 corn, 247, 292.
 cowpea, 247, 309.
 crimson clover, 305.
 cucumber, 204.
 dahlia, 391.
 delphinium, 392.
 dewberry, 128.
 Easter lily, 398.
Echinochloa crusgalli, 313.
Echinocystis lobata, 426.
 eggplant, 237.
 grape, 116.
 grasses, 246.
 ground cherry, 238.
 hedgehog, 395.
 horseradish, 199.
Humulus lupulus, 429.
 lettuce, 216.
 lima bean, 190.
Melilotus alba, 308.
Melilotus officinalis, 308.
Miscanthus sinensis, 313.
Panicum dichotomiflorum, 313.
Paspalum boscianum, 313.
 pea, 218.
 Pennisetum glaucum, 313.
 peony, 402.
 pepper, 240.
 petunia, 403.
Physalis cinerascens, 238.
Physalis comata, 238.
Physalis lanceolata, 238.
Physalis longifolia, 238.
Phytolacca americana, 435.
Phytolacca sp., 435.
 potato, 15, 149, 162, 329.
 raspberry, 124, 348.
 red clover, 305.
Ribes americanum, 439.
Ribes floridum, 130.
 rose, 411.
Rubus odoratus, 411.
Rumex spp., 440.
Saccharum narenga, 313.
 Solidago spp., 443.
 soybean, 247, 310.
 spinach, 242.
 squash, 207.
 sugar beet, 230.
 sugar cane, 222.
 sweet clover, 247, 308.
 sweet pea, 414.
 sweet potato, 150, 184.
Syntherisma sanguinalis, 313.
 tobacco, 232.
 tomato, 177.
 violet, 416.
 wheat, 247.
 white clover, 305.
 Mosaic-like disease, apple, 37.
 gooseberry, 132.
 Mosaic-like trouble, grape, 116.
 watermelon, 210.
 Mottled leaf, Citrus, 140.
 Mottle necrosis, sweet potato, 151, 183.
Mucor sp., radish, 150, 200.
Mycosphaerella brassicicola, Brassica
 oleracea, 5.
 cabbage, 5, 11; 197.
 cauliflower, 5.
 citrullina, watermelon, 210.
 fragariae, strawberry, 117.
 grossulariae, currant, 131.
 gooseberry, 132.
 lethalis, *Melilotus alba*, 308.
 sweet clover, 308.
 pinodes, pea, 217.
 rhododendron, Rhododendron, 404.

Rhododendron maximum, 404.
 Rhododendron purpureum, 404.
 rubi, blackberry, 130.
 dewberry, 128.
 raspberry, 126.
 rubina, raspberry, 126.
 sentina, pear, 91.
 Myriangiium tuberculans, pecan, 146.
 Myxosporium corticolum, apple, 84.
 sp., oak, 375.

N

Necrosis, honeysuckle, 396.
 Nectria cinnabarina, horse chestnut, 369.
 maple, 371.
 galligena, apple, 84.
 ipomoeae, eggplant, 237.
 sp., china berry, 365.
 currant, 130.
 Nematospira phaseoli, cowpea, 247, 309.
 lima bean, 150, 190.
 Nematosporangium aphanidermatum, radish, 200.
 Neofabraea malicorticis, apple, 84.
 New disease, mulberry, 132.
 New York apple tree canker, apple, 61.
 Nigredo fallens, (see Uromyces trifolii), 305.
 trifolii, (see Uromyces hybridi), 305.
 (see U. trifolii), 305.
 (see U. trifolii-repentis), 305.
 Nigrello, onion, 24.
 Niter burning, apple, 84.
 Nummularia discreta, apple, 61.
 microplaca, sassafras, 379.

O

Oidium balsamii, rutabaga, 200.
 turnip, 200.
 chrysanthemii, (see Erysiphe cichoracearum), 390.
 euonymi-japonici, euonymus, 393.
 lactis, tomato, 178.
 sp., hydrangea, 396.
 sweet pea, 414.
 zinnia, 417.
 Olpidium brassicae, cabbage, 151, 197.
 tobacco, 151, 234.
 tomato, 150, 178.

Olpitrichum macrosporium, rose, 405.
 Onion root maggots, onion, 14.
 Oospora citri-aurantii, Citrus, 139.
 lactis parasitica, tomato, 150.
 178.
 lactis, tomato, 178.
 Ophiobolus cariceti, Agropyron repens, 313.
 Agrostis palustris, 313.
 barley, 247, 280.
 Bromus secalinus, 313.
 timothy, 311.
 wheat, 247, 266.
 graminis, (see O. cariceti), 266.
 Ovularia cercidis, redbud, 379.
 Ozonium omnivorum, alfalfa, 300.
 apple, 81.
 bean, 189.
 castor bean, 236.
 chinaberry, 365.
 Chinese elm, 366.
 cotton, 220.
 cowpea, 309.
 euonymus, 393.
 fig, 141.
 grape, 116.
 hollyhock, 396.
 lettuce, 216.
 mulberry, 132.
 okra, 239.
 peach, 105.
 peanut, 240.
 pear, 92.
 poplar, 378.
 privet, 404.
 rose, 409.
 sweet potato, 184.
 tomato, 179.

P

Penicillium digitatum, Citrus, 138.
 expansum, apple, 84.
 italicum, Citrus, 138.
 Peridermium balsameum, (see Uredinopsis mirabilis), 351.
 Peronospora amaranti, Amaranthus sp., 418.
 arthuri, Oenothera biennis, 433.
 corydalis, Dicentra canadensis, 426.
 Dicentra cucullaria, 426.
 effusa, Chenopodium album, 424.

- Plantago major*, 435.
 spinach, 149, 242.
ficariae, *Ranunculus abortivus*, 438.
Ranunculus acris, 438.
Ranunculus hispidus, 438.
Ranunculus recurvatus, 438.
grisea, *Veronica arvensis*, 438.
hydrophylli, *Hydrophyllum virginianum*, 430.
parasitica, *Bursa-bursa-pastoris*, 422.
 cabbage, 5, 196.
 cauliflower, 198.
 collard, 199.
Dentaria laciniata, 426.
Hesperis matronalis, 429.
 kale, 199.
 kohlrabi, 199.
Lepidium sp., 431.
 radish, 200.
 rutabaga, 200.
 turnip, 201.
polygona, *Tiniaria scandens*, 444.
pygmaea, *Anemone canadensis*, 419.
schleideni, onion, 6, 14, 15, 16, 30, 192.
 sojae, soybean, 246, 309.
trifoliorum, alfalfa, 300.
violae, pea, 218.
Pestalozzia compacta, rose, 409.
guepini, blueberry, 133.
 camellia, 388.
 crepemyrtle, 391.
 mango, 142.
 persimmon, 142.
Rhododendron arborescens, 404.
Rhododendron carolinianum, 404.
Rhododendron catawbiense, 404.
 strawberry, 119.
Vaccinium corymbosum, 133.
guepini vaccinii, avocado, 142.
longiseta, cherry, 111.
menzesiana, grape, 116.
palmicola, palmetto, 401.
 Washington palm, 401.
 sp., *ampelopsis*, 384.
 avocado, 142.
 camphor, 361.
 sassafras, 379.
 Virginia creeper, 384.
 uvicola, grape, 116.
Peizizella lythri, strawberry, 119.
Phlyctaena linicola, flax, 247, 295.
Pholiota adiposa, maple, 371.
Phoma ambigua, pear, 92.
 apple, 89.
betae, sugar beet, 228.
destructiva, tomato, 178.
diospyri, persimmon, 142.
lingam, cabbage, 5, 11, 195.
 cauliflower, 11, 198.
napobrassicae, rutabaga, 5.
 swede, 11.
 turnip, 5, 11.
persicae, peach, 105.
pomi, apple, 78.
 sp., asparagus fern, 384.
 camphor, 361.
Phomopsis citri, Citrus, 134, 135.
juniperovora, cedar, 350.
 Colorado juniper cedar, 350.
 red cedar, 350.
 retinospora, 359.
padina, cherry, 37, 111.
pseudotsugae, Douglas fir, 351.
 sp., cranberry, 133.
 rose, 411.
vexans, eggplant, 236.
Phoradendron flavescens, poplar, 378
Phragmidium imitans, raspberry, 127.
occidentale, *Rubus parviflorus*, 439.
potentillae, *Potentilla canadensis*, 437.
Potentilla sp., 437.
 spp., *Rosa alba*, 410.
Phyllachora graminis, *Agropyron repens*, 314.
Agropyron smithii, 314.
Elymus canadensis, 314.
Elymus striatus, 314.
Elymus virginicus, 314.
Hystrix patula, 314.
haydeni, *Aster* spp., 421.
pomigena, apple, 80.
 pear, 37, 91.
sphaerosperma, *Cenchrus echinatus*, 423.
trifolii, alsike clover, 307.
 red clover, 307.
Trifolium reflexum, 307.
 white clover, 307.
ulmi, (see *Gnomonia ulmae*), 366.
Phyllactinia corylea, *Celastrus scandens*, 423.
 chestnut, 363.
 Pacific dogwood, 365.
 red dogwood, 365.

- Phyllosticta alliariaefoliae*, *Campanula glomerata*, 422.
antirrhini, snapdragon, 412.
apocyni, *Apocynum androsaemifolium*, 419.
batatas, sweet potato, 184.
caryae, pecan, 146.
catalpae, *Catalpa bignonioides*, 362.
Catalpa speciosa, 362.
chrysanthemii, *chrysanthemum*, 390.
circumscissa, peach, 105.
citrullina, watermelon, 210.
colocasia, *Xanthosoma* sp., 243.
yautia, 243.
concentrica, English ivy, 397.
convallariae, *Smilacina racemosa*, 441.
cockeii, magnolia, 369.
cruenta, (see *P. convallariae*), 441.
cucurbitacearum, cucumber, 206.
fragaricola, strawberry, 119.
gaultheriae, *Gaultheria procumbens*, 428.
grossulariae, currant, 130.
guttulata, *Oxalis corniculata*, 434.
hederaecola, English ivy, 397.
hibiscina, hibiscus, 395.
hibisci, (see *P. hibiscina*), 395.
hydrangeae, hydrangea, 396.
ilicicola, American holly, 395.
laurocerasi, cherry laurel, 398.
magnoliae, (see *P. cockeii*), 369.
minima, box elder maple, 371.
mountain maple, 371.
phaseolina, cowpea, 309.
podophylli, *Podophyllum peltatum*, 436.
prunicola, plum, 108, 109.
prune, 108, 109.
quercus, oak, 375.
rosae, rose, 410.
rosicola, rose, 410.
saccardoi, *Rhododendron carolinianum*, 405.
Rhododendron maximum, 405.
sacchari, sugar cane, 225.
solitaria, apple, 51, 339.
sp., American elder, 366.
apple, 84.
avocado, 142.
blackberry, 130.
box, 388.
lettuce, 216.
maple, 371.
okra, 239.
oleander, 400.
pea, 151, 218.
pepper, 241.
white ash, 360.
straminella, rhubarb, 150, 241.
vincae-majoris, vinca, 415.
violae, violet, 416.
Phyllostictina carpogena, dewberry, 128.
Phymatotrichum omnivorum, (see *Oonitium omnivorum*), 220.
Physalospora cydoniae, apple, 61, 62, 63, 339.
peach, 105.
pear, 92.
staghorn sumac, 380.
Physarum plumbeum, sweet potato, 184.
sp., alfalfa, 247, 301.
vernum, strawberry, 120.
Physoderma zeae-maydis, corn, 291, 327.
Physopella ficii, fig, 141.
vitis, grape, 37, 116.
Phytophthora cactorum, apple, 84.
rhubarb, 150, 241.
infestans, potato, 16, 149, 153, 329.
tomato, 178.
mexicana, tomato, 150, 178.
nicotianae, tobacco, 233.
parasitica rhei, rhubarb, 241.
parasitica, rhubarb, 150.
phaseoli, lima bean, 190.
potato, 14.
sp., peony, 402.
rhubarb, 150, 241.
strawberry, 119.
tobacco, 233.
tomato, 179.
terrestris, Citrus, 138.
eggplant, 237.
pepper, 241.
tomato, 149, 178.
Pink rot, celery, 213.
Piricularia grisea, *Chaetochloa italica*, 314.
Syntherisma sanguinalis, 314.
oryzae, rice, 293.
Plasmodiophora brassicae, cabbage, 5, 12, 13, 192.
cauliflower, 198.
rutabaga, 5, 12.

- turnip, 5.
 vascularum, sugar cane, 225.
Plasmopara halstedii, *Ambrosia trifida*, 419.
Helianthus annuus, 317.
Helianthus longifolius, 317.
Helianthus rigidus, 317.
Helianthus scaberrimus, 429.
 sunflower, 317.
obducens, *Impatiens biflora*, 430.
Impatiens pallida, 430.
pygmaea, *Hepatica acutiloba*, 429.
Hepatica triloba, 429.
viticola, grape, 115.
Vitis cordifolia, 446.
Plectodiscella veneta, blackberry, 129.
 raspberry, 121.
Plenodomus destruens, sweet potato, 184, 333.
Pleospora herbarum, nasturtium, 400.
Plowrightia morbosa, apricot, 113.
 black cherry, 362.
 cherry, 111.
 common choke cherry, 362.
 plum, 107.
 prune, 107.
Prunus serotina, 111.
Podosphaera leucotricha, apple, 78.
oxyacanthae, cherry, 111.
 common choke cherry, 362.
 plum, 109.
 prune, 109.
 sp., pear, 91.
Polyporus anceps, conifers, 381.
 balsameus, Balsam fir, 351.
 berkeleyi, white pine, 353.
 caesius, Balsam fir, 351.
 circinnatus, black spruce, 359.
 gilvus, black oak, 374.
 maple, 371.
 guttulatus, black spruce, 359.
 rubriporus, English oak, 374.
 schweinitzii, *Picea mariana*, 381.
Pinus divaricata, 381.
Pinus resinosa, 381.
 Sitka spruce, 359.
 western hemlock, 352.
 spraguei, oak, 375.
 squamosus, American elm, 366.
 sulphureus, chestnut, 363.
Polystictus versicolor, apple, 84.
Polythrincium trifolii, (see *Phyl-lachora trifolii*), 307.
 Poor stands, cotton, 222.
Poria cocos, eucalyptus, 367.
 incrassata, lumber, 381.
 Powdery mildew, *Chrysanthemum parthe-nium*, 424.
 radish, 200.
 Premature dropping of fruit, plum, 109.
 prune, 109.
 Prematuring, spinach, 242.
Pseudoperonospora cubensis, cantaloupe, 150, 202.
 cucumber, 206.
 pumpkin, 206.
 squash, 207.
 watermelon, 210.
Pseudopeziza medicaginis, alfalfa, 298.
 ribis, currant, 131.
 gooseberry, 132.
 trifolii, alsike clover, 307.
 red clover, 307.
 white clover, 307.
 Psorosis, Citrus, 139.
Puccinia andropogonis, *Andropogon sco-parius*, 314.
Comandra umbellata, 425.
 angustata, *Lycopus uniflorus*, 431.
 antirrhini, snapdragon, 412.
 apocrypta, *Hydrophyllum virgin-ianum*, 430.
 asarina, *Asarum caudatum*, 420.
 asparagi, asparagus, 234.
 asterum, *Aster corymbosus*, 421.
Aster paniculatus, 421.
Aster puniceus, 421.
 bardanae, *Arctium lappa*, 420.
Arctium minus, 420.
 bartholmaei, (see *Aecidium brande-gei*), 420.
 bolleyana, (see *P. sambuci*), 366.
 calthae, *Caltha palustris*, 422.
 campestris, *Juncoides campestre*, 430.
 cannae, *Canna*, 388.
 caricis, *Carex* sp., 423.
 caricis-erigerontis, *Erigeron an-nuus*, 427.
 caricis-solidaginis, *Euthamia gram-inifolia*, 428.
Solidago altissima, 441.
Solidago canadensis, 441.
Solidago patula, 442.
Solidago rugosa, 442.
Solidago sempervirens, 442.
 cenchri, *Cenchrus echinatus*, 423.

- circaeae, *Circaea lutetiana*, 424.
Circaea pacifica, 424.
 claytoniata, *Claytonia caroliniana*,
 425.
 clematidis, *Ranunculus septentrionalis*, 439.
 convolvuli, *Convolvulus sepium*, 425.
 coronata, *Achyrodes aureum*, 314.
Festuca elatior, 314.
 oats, 284, 325.
 cyperi, *Cyperus strigosus*, 426.
 dispersa, *Achyrodes aureum*, 314.
 rye, 274, 321.
 eleocharidis, *Eupatorium perfoliatum*,
 427.
 fraxinata, (see *P. peridermiospora*),
 360.
 fusca, *Anemone nemorosa*, 419.
Anemone quinquefolia, 419.
 glumarum, barley, 279.
Lolium sp., 314.
 wheat, 264.
 graminis, *Achyrodes aureum*, 314.
Agropyron repens, 314.
Agropyron smithii, 314.
Agropyron sp., 314.
Agropyron tenerum, 314.
Agrostis palustris, 314.
Anthoxanthum odoratum, 314.
 barberry, 387.
 barley, 278, 324.
Berberis alesuthensis, 387.
Berberis amurensis, 387.
Berberis amurensis japonica, 387.
Berberis angulosa, 387.
Berberis aristata, 387.
Berberis canadensis, 387.
Berberis declinata oxyphulla, 387.
Berberis durobrivensis, 387.
Berberis emarginata, 387.
Berberis emarginata britzensis, 387.
Berberis fendleri, 387.
Berberis fuchsoides, 387.
Berberis liechlinii, 387.
Berberis melhanii, 387.
Berberis oblonga, 387.
Berberis sinensis, 387.
Berberis subcauliata, 387.
Berberis vulgaris, 387.
Dactylis glomerata, 314.
Elymus canadensis, 314.
Elymus macounii, 314.
Elymus sp., 314.
Festuca elatior, 314.
Hordeum jubatum, 280, 314.
 oats, 263, 325.
Poa compressa, 314.
 rye, 274, 321.
Tripsacum sp., 314.
 wheat, 258, 280, 319.
 grossulariae, currant, 130.
 gooseberry, 131.
Ribes americanum, 439.
 helianthi, *Helianthus annuus*, 317.
Helianthus tuberosus, 317.
Heliopsis scabra, 429.
 sunflower, 317.
 heterospora, *Sida spinosa*, 441.
 hibisciata, cotton, 221.
 hydrocotyles, *Hydrocotyle vulgaris*,
 430.
 impatientis, *Impatiens* sp., 430.
 ipomoeae-panduratae, morning-glory,
 399.
 ipomoeae, (see *P. ipomoeae-panduratae*),
 399.
 lobeliae, large blue lobelia, 398.
 luzuli, (see *P. oblongata*), 431.
 lycii, matrimony vine, 399.
 malvacearum, hollyhock, 396.
Malva rotundifolia, 431.
Malva sp., 432.
 melanocephala, bamboo, 387.
 menthae, *Mentha arvensis*, 432.
Mentha spp., 432.
Monarda fistulosa, 432.
Satureia vulgaris, 440.
 minutissima, *Decodon verticillatus*,
 426.
 montanensis, *Achyrodes aureum*, 314.
 mühlenbergiae, *Muhlenbergia syl-
 vatica*, 314.
 oblongata, *Luzula* sp., 431.
 obtogens, *Cirsium arvense*, 425.
 orbicula, *Nabalus altissimus*, 433.
 parkerae, *Ribes lacustre*, 439.
 patruelis, *Nabalus albus*, 432.
 pattersoniana, *Agropyron spicatum*,
 314.
 peckii, *Oenothera biennis*, 433.
 peridermiospora, white ash, 360.
 perminuta, *Impatiens biflora*, 430.
 phlei-pratensis, *Dactylis glomerata*,
 315.
 timothy, 310.
 phragmitis, *Phragmites communis*, 435.

- pimpinellae, *Osmorrhiza claytoni*,
 433.
Osmorrhiza longistylis, 434.
 poarum, *Achyrodes aureum*, 315.
Poa pratensis, 315.
 podophylli, *Podophyllum peltatum*,
 436.
 polygalae, *Polygala pauciflora*, 436.
 polygoni-amphibii, *Geranium maculatum*,
 428.
Persicaria muhlenbergii, 434.
Tiniaria convolvulus, 444.
Tiniaria scandens, 444.
 polygoni, *Polygonum aviculare*, 436.
 porphyrogenita, *Cornus canadensis*,
 426.
 porri, leek, 7.
 onion, 7, 31.
 potentillae, *Potentilla* sp., 438.
 prenanthis, *Nabalus albus*, 432.
 purpurea, sorghum, 297.
 recedens, *calendula*, 388.
 sambuci, American elder, 366.
 saxifragae, *Saxifraga pennsylvanica*,
 440.
Saxifraga virginiana, 440.
 simplex, barley, 278, 324.
 smilacis, smilax, 411.
 sorghi, corn, 288, 324.
 suaveolens, *Cirsium arvense*, 425.
 taraxaci, *Taraxacum erythrospermum*,
 443.
Taraxacum officinale, 443.
 tenuis, *Eupatorium urticaefolium*,
 428.
 thalictri, *Thalictrum polygamum*, 444.
 triticina, *Achyrodes aureum*, 315.
Agropyron repens, 315.
Elymus canadensis, 315.
Elymus virginicus, 315.
 wheat, 262, 319.
 urticae, *Urtica dioica*, 445.
 veratri, *Veratrum viride*, 445.
 violae, *Viola canadensis*, 416, 446.
Viola papilionacea, 416.
Viola pubescens, 446.
Viola striata, 416, 446.
 waldsteiniae, *Waldsteinia fraga-*
rioides, 446.
 xanthii, *Ambrosia psilostachya*, 418.
Xanthium commune, 446.
Xanthium orientale, 446.
Pucciniastrum agrimoniae, agrimony, 417.
 hydrangeae, hemlock, 352.
 myrtilli, *Vaccinium ovatum*, 445.
 pustulatum, *Epilobium angustifo-*
lium, 427.
 sparsum, manzanita, 369.
Pucciniopsis caricae, papaya, 143.
 Puffing, tomato, 179.
Pyrenopeziza medicaginis, alfalfa, 298.
Pythiacystis citrophthora, Citrus, 139.
 lemon, 37.
Pythium debaryanum, beet, 235.
 cucumber, 206.
 geranium, 394.
 pansy, 401.
 pea, 216.
 potato, 170.
 tobacco, 234.
 sp., cabbage, 197.
 celery, 213.
 coconut, 147.
 lettuce, 215.
 Mexican Washington palm, 401.
 palm, 400.
 peony, 402.
 pine, 359.
 spinach, 242.
 strawberry, 119.
 sweet pea, 414.
 tobacco, 234.
 tomato, 179.
- R
- Ramularia armoraciae*, horseradish, 199.
 barbareae, *Barbarea vulgaris*, 422.
 dubia, *Atriplex hastata*, 421.
 lineola, *Taraxacum officinale*, 443.
 macrospora, rose, 410.
 pastinaceae, parsnip, 239.
 plantaginis, *Plantago major*, 435.
Plantago rugelii, 436.
 primulae, *Primula polyantha*, 438.
 ranunculi, *Ranunculus recurvatus*,
 438.
 rufo-maculans, buckwheat, 247.
 flax, 296.
 sp., date palm, 401.
Panax sp., 434.
 Pansy, 401.
Rumex crispus, 440.
 taraxaci, *Taraxacum officinale*, 443.
Razoumofskyia douglasii, Douglas fir, 351.
tsugensis, western hemlock, 352.

- Reddening, celery, 213.
 Redleaf, pear, 92.
 Rhabdocline pseudotsugae, Douglas fir, 351.
 Rhizoctonia crocorum, potato, 149, 170.
 medicaginis, alfalfa, 247, 301.
 microsclerotia, fig, 141.
 potato, 16.
 solani, Agrostis palustris, 315.
 blue spruce, 382.
 Capriola dactylon, 315.
 Colocasia sp., 236.
 coniferous seedlings, 382.
 dasheen, 236.
 lawn grass, 315.
 pea, 216.
 Poa pratensis, 315.
 potato, 158, 329.
 red pine, 382.
 tobacco, 234.
 white pine, 382.
 white spruce, 382.
 sp., bean, 188.
 beet, 235.
 cabbage, 197.
 carnation, 389.
 celery, 213.
 Citrus, 139.
 cotton, 221.
 cowpea, 309.
 eggplant, 237.
 hemlock, 352.
 lettuce, 215.
 lima bean, 190.
 pepper, 241.
 red pine, 353.
 spinach, 242.
 strawberry, 119.
 sugar beet, 230.
 sweet pea, 414.
 sweet potato, 183.
 tobacco, 234.
 tomato, 179.
 tuliparum, tulip, 415.
 Rhizopus nigricans, pear, 92.
 sweet potato, 182.
 sp., peach, 101.
 strawberry, 119.
 spp., tomato, 179.
 Rhynchosporium secalis, barley, 280.
 Rhysotheca australis, Sicyos angulatus, 441.
 Rhytisma acerinum, maple, 371.
 punctatum, box elder maple, 370.
 Oregon maple, 370.
 Solidago spp., 442.
 sp., Ficus sp., 428.
 quaking aspen, 377.
 Rio Grande disease, lettuce, 215.
 Roestelia aurantiaca, (see Gymnosporangium germinale), 368.
 penicillata, (see Gymnosporangium juniperi-virginianae), 368.
 Root disease, sugar cane, 224
 Root rot, alfalfa, 301.
 apple, 81.
 corn, 328.
 raspberry, 127.
 red clover, 306.
 strawberry, 119.
 tobacco, 233.
 Rosette, almond, 147.
 apple, 84.
 apricot, 113.
 cherry, 111.
 gooseberry, 37, 132.
 peach, 104.
 pecan, 145.
 persimmon, 142.
 plum, 109.
 prune, 109.
 wheat, 269.
 Rough bark, pear, 92.
 Rough pods, pea, 217.
 Russeting, pear, 92.
 Rust, delphinium, 392.
- S
- Sarcinella heterospora, dogwood, 365.
 Scab, avocado, 142.
 Citrus, 135.
 Scald, apple, 84.
 pea, 218.
 Scaly twig rupture, Citrus, 140.
 Schizonella melanogramma, Carex pennsylvanicum, 423.
 Schizoparme straminea, strawberry, 119.
 Schizophyllum commune, apple, 84.
 Sclerospora graminicola, Alopecurus geniculatus, 315.
 Chaetochloa magna, 315.
 Chaetochloa viridis, 315.
 macrospora, wheat, 247, 273.
 Sclerotinia angustior, choke cherry, 362.

- cinerea, American plum, 376.
 apple, 83.
 apricot, 113.
 Canada plum, 376.
 cherry, 110, 346.
 Hortulan plum, 376.
 Japanese plum, 376.
 nectarine, 106.
 peach, 92, 341.
 pear, 92.
 plum, prune, 106, 345.
 Prunus americana, 379.
 Prunus angustifolia watsoni, 379.
 Prunus cerasifera, 379.
 Prunus dunbari x maritima x americana, 379.
 Prunus orthosepala, 379.
 Prunus spp., 379.
 quince, 92.
 wildgoose plum, 376.
- demissa, common choke cherry, 363.
- libertiana, Aralia cordata, 151, 243.
 bean, 189.
 cabbage, 197.
 cauliflower, 198.
 celery, 213.
 cucumber, 206.
 dahlia, 391.
 eggplant, 237.
 lettuce, 213.
 parsley, 239.
 potato, 170.
 squash, 207.
 sunflower, 317.
 tomato, 179.
 udo, 151, 243.
- oxycocci, cranberry, 133.
- sclerotiorum, Asarum sp., 420.
 Easter lily, 398.
 iris, 397.
 Scabiosa japonica, 440.
- seaveri, black cherry, 362.
- sp., onion, 192.
 sweet potato, 150, 183.
- trifoliorum, alfalfa, 247, 298.
 clover, 247.
 red clover, 305.
- Sclerotium bataticola, sweet potato, 183.
- cepivorum, garlic, 16, 24.
 leek, 7.
 onion, 7, 14, 15, 16, 32, 151, 191.
- delphinii, delphinium, 392.
- rhizodes, wheat, 247, 270.
- rolfisii, bean, 189.
 cabbage, 197.
 cantaloupe, 203.
 carrot, 236.
 collard, 199.
 corn, 293.
 daisy, 392.
 delphinium, 392.
 eggplant, 237.
 iris, 397.
 Jerusalem artichoke, 234.
 kale, 199.
 peanut, 240.
 pepper, 241.
 pittosporum, 403.
 potato, 169.
 sweet pea, 414.
 sweet potato, 150, 183.
 tomato, 179.
 velvet bean, 310.
 Xanthosoma sp., 243.
 yautia, 243.
- sp., cucumber, 206.
 delphinium, 392.
- tuliparum, (see Rhizoctonia tuliparum), 415.
- Scolecotrichum graminis, Agrostis palustris, 315.
- Anthoxanthum odoratum, 315.
- Dactylis glomerata, 315.
- oats, 287.
- Poa compressa, 315.
- Poa pratensis, 315.
- Poa sp., 315.
- timothy, 311.
- Scorch, apple, 85.
 maple, 373.
- Seedling blight, cabbage, 197.
- Septobasidium pedicellatum, Citrus, 139.
 mango, 142.
 maple, 371.
 pear, 91.
 pecan, 146.
 plum, 109.
 prune, 109.
- pseudopedicellatum, plum, 109.
 prune, 109.
- retiforme, pear, 91.
 plum, 109.
 prune, 109.
- sp., apple, 84.

- pear, 91.
 plum, 109.
 prune, 109.
 spp., pear, 91.
Septocylindrium aromaticum, *Acorus calamus*, 417.
Septogloeum nuttallii, *Osmaronia cerasiformis*, 433.
 western choke cherry, 362.
Septoria acicola, longleaf pine, 353.
 pine, 358.
Pinus taeda, 353.
Pinus variabilis, 353.
alliorum, *Allium tricoccum*, 418.
avenae, oats, 287.
callistephi, aster, 385.
chrysanthemella, *chrysanthemum*, 390.
circinata, Oregon maple, 370.
 vine maple, 369.
cirsii, *Cirsium arvense*, 425.
consimilis, lettuce, 215.
corylina, hazelnut, 368.
cucurbitacearum, cantaloupe, 150, 203.
 cucumber, 150, 206.
erigerontis, *Erigeron* sp., 427.
galeopsidis, *Galeopsis tetrahit bifida*, 428.
gladioli, *gladiolus*, 394.
graminum, *Hierochloë odorata*, 315.
helianthi, sunflower, 317.
heterochroa, *Malva rotundifolia*, 432.
lactucae, lettuce, 215.
lobeliae, large blue lobelia, 398.
lycopersici, tomato, 172, 335.
nabali, *Nabalus albus*, 433.
nodorum, wheat, 272.
cenotherae, *Oenothera biennis*, 433.
petroselini apii, celery, 211.
 parsley, 239.
pisi, pea, 218.
podophyllina, *Podophyllum peltatum*, 436.
polygonorum, *Persicaria hydropiper*, 434.
Persicaria lapathifolium, 434.
Polygonum sp., 437.
prunellae, *Prunella vulgaris*, 438.
ribis, gooseberry, 37, 131.
rosae, rose, 410.
rosicola, rose, 410.
rubi, *Rubus parviflorus*, 439.
 (see *Mycosphaerella rubi*), 126, 128.
sedi, *Sedum* sp., 440.
 sp., aster, 385.
 currant, 130.
kalmia, 398.
 oats, 287.
 oleander, 400.
 phlox, 403.
Phlox drummondii, 403.
Phlox maculata, 403.
 shasta daisy, 392.
Solidago rugosa, 442.
 sweet gum, 367.
 timothy, 311.
 spp., lettuce, 215.
stachydis, *Stachys tenuifolia*, 443.
stellariae, *Alsine media*, 418.
tritici, wheat, 272.
verbascicola, *Verbascum blattaria*, 445.
viridi-tingens, (see *S. alliorum*), 418.
waldsteiniae, *Waldsteinia fragarioides*, 446.
 Skin crack, apple, 85.
 Slime molds, sweet potato, 184.
 Slimy rot, lettuce, 216.
 Soft rot, Chinese cabbage, 199.
 Soft scald, apple, 84.
 Soil trouble, sweet pea, 414.
 Sooty blotch, blackberry, 130.
Sorosporium reilianum, corn, 293.
 sorghum, 296.
syntherismae, *Andropogon* sp., 315.
 Sour sap, plum, 109.
 -prune, 109.
Sphaceloma ampelinum, grape, 116.
Sphacelotheca cruenta, sorghum, 297.
 sorghi, sorghum, 296.
Sphaerographium fraxini, white ash, 361.
Sphaeronema fimbriatum, sweet potato, 181, 333.
Sphaeronemella rosae, rose, 405.
Sphaeropsis, apple, 63.
 malorum, loquat, 144.
 (see *Physalospora cydoniae*), 61.
syringae, syringa, 414.
ulmicola, American elm, 366.
 cork bark elm, 366.
 elm, 367.
 English elm, 366.

- Sphaerotheca castagnei*, *Taraxacum officinale*, 443.
humuli, agrimony, 417.
Humulus lupulus, 429.
 phlox, 403.
 raspberry, 127.
Rubus odoratus, 411.
 strawberry, 119.
Taraxacum officinale, 443.
humuli-fuliginea, *Bidens frondosa*, 422.
mors-uvae, gooseberry, 37, 131.
Ribes americanum, 439.
pannosa, peach, 37, 104.
 sp., *Polygonum aviculare*, 436.
 spp., rose, 410.
Sphaerulina trifolii, alsike clover, 407.
 clover, 246.
 mammoth clover, 307.
 red clover, 307.
Trifolium hybridum, 246, 307.
Trifolium pratense, 246, 307.
Trifolium pratense perenne, 307.
Trifolium repens, 246, 307.
 white clover, 307.
 Spindle sprout, potato, 167.
 Spindle tuber, potato, 149, 167.
Spondylocidium atrovirens, potato, 169.
Spongospora subterranea, potato, 170.
Sporocybe azaleae, Coast rhododendron, 404.
Sporonema sp., cranberry, 133.
 Spray injury, cantaloupe, 203.
 Citrus, 140.
 elm, 367.
 peach, 105.
 plum, 109.
 potato, 171.
 prune, 109.
 Stalk rot, sorghum, 298.
 Star melanose, Citrus, 140.
 Stem canker, spruce, 359.
 Stem cracking, celery, 213.
 Stem-end browning, potato, 170.
 Stem rot, cucumber, 206.
 sweet pea, 414.
Stereum purpureum, apple, 37, 82.
 common lilac, 398.
 peach, 105.
 Sterility, oats, 286.
Stigmatea robertiana, *Geranium robertianum*, 428.
Stigmata platani, sycamore, 380.
 Stoniness, pear, 92.
 Storage rot, sweet potato, 183, 334.
 Straighthead, rice, 293.
 Streak, raspberry, 126.
 tomato, 179.
 Stripe, tomato, 179.
 wheat, 273.
Strumella coryneoides, oak, 375.
Quercus alba, 375.
Quercus palustris, 375.
 Sugar exudation, Douglas fir, 351.
 Sunburn, peach, 105.
 pepper, 241.
 Sunscald, apple, 85.
 cabbage, 197.
 peach, 105.
 tomato, 179.
 Sunscald of needles, white pine, 353.
 Sunscorch, cantaloupe, 203.
 cowpea, 309.
 gooseberry, 132.
 Surface breakdown, potato, 171.
Synchytrium decipiens, *Amphicarpa monoica*, 419.
endobioticum, potato, 168.
 T
 Tan disease, apple, 84.
Taphrina amontorum, (see *Exoascus tosquinetii*), 359.
aurea, Lombardy poplar, 377.
coerulescens, common red oak, 374.
Quercus nigra, 375.
Quercus velutina, 375.
filicina, Christmas fern, 393.
lethifer, *Acer spicatum*, 372.
 mountain maple, 371.
robinsoniana, hazel alder, 360.
 speckled alder, 360.
 sp., *Acer* spp., 370.
 black maple, 370.
 red maple, 370.
 silver maple, 370.
 spp., *Acer* spp., 372.
 black maple, 372.
 maple, 371.
 red maple, 372.
 silver maple, 372.

- Tar spot, *Rubus hispidus*, 439.
 Tearstain, Citrus, 139.
 Thekopsora hydrangiae, (see Puccinias-
 trum hydrangeae), 352.
 Thielavia basicola, bean, 189.
 cyclamen, 391.
 horseradish, 199.
 pansy, 401.
 pea, 216.
 tobacco, 231.
 Thielaviopsis paradoxa, sugar cane, 224.
 Tilletia laevis, wheat, 250, 319.
 tritici, rye, 276.
 wheat, 250, 319.
 Tipburn, lettuce, 215.
 potato, 164, 331.
 Torula sp., pear, 91.
 Trametes pini, Sitka spruce, 359.
 Tranzschelia punctata, cherry, 111.
 Hepatica triloba, 429.
 peach, 100.
 plum, 108.
 prune, 108.
 Twig blight, English walnut, 146.
 Tylenchus devastatrix, onion, 7, 14, 16.
 dipsaci, alfalfa, 247, 299.
 hyacinth, 396.
 red clover, 307.
 Taraxacum officinale, 443.
 onion, 15.
 semipenetrans, Citrus, 139.
 tritici, wheat, 272.
- U
- Uncinula circinata, sugar maple, 370.
 clintonii, American linden, 369.
 macrospora, elm, 367.
 necator, ampelopsis, 384.
 grape, 115.
 Virginia creeper, 384.
 salicis, willow, 381.
 Unknown disease, blueberry, 133.
 Vaccinium angustifolium, 133.
 Vaccinium canadense, 133.
 Uredinopsis americana, Onoclea sensib-
 ilis, 433.
 mirabilis, Balsam fir, 351.
 pteridis, Pteridium aquilinum, 438.
 Uredo holwayi, western hemlock, 352.
 oxalidis, oxalis, 400.
 Urocystis agropyri, Agropyron repens,
 315.
 Agropyron sp., 315.
 anemones, Anemone virginiana, 419.
 Hepatica acutiloba, 429.
 Hepatica triloba, 429.
 cepulae, onion, 7, 14, 15, 16,
 150, 190.
 galanthi, snowdrop, 412.
 occulta, rye, 247, 276, 321.
 tritici, wheat, 246, 256.
 Uromyces appendiculatus, bean, 189.
 cowpea, 309.
 arisaemae, Arisaema stewardsonii,
 420.
 Arisaema triphyllum, 420.
 ari-virginici, Peltandra virgin-
 ica, 434.
 betae, sugar beet, 230.
 caladiei, (see U. arisaemae), 420.
 caryophyllinus, carnation, 389.
 dolicholi, Cajanus indicus, 237.
 gandules pigeon pea, 237.
 euphorbiae, Chamaecybe polygoni-
 folia, 424.
 holwayi, Canada lily, 398.
 Lilium canadense, 431.
 Lilium philadelphicum, 431.
 hybridi, alsike clover, 304, 305.
 Trifolium hybridum, 304, 305.
 hypericae-frondosi, Triadenum vir-
 ginicum, 444.
 lychnidis, Lychnis dioica, 431.
 medicaginis, (see U. striatus),
 300.
 plumbarius, Oenothera biennis, 433.
 polygoni, Polygonum aviculare, 436.
 proeminens, Chamaecybe hirsuta,
 423.
 Chamaecybe maculata, 424.
 spermacoces, Diodia teres, 426.
 spp., red clover, 304.
 striatus, alfalfa, 300.
 toxicodendri, poison ivy, 379.
 trifolii, crimson clover, 305.
 mammoth clover, 304, 305.
 red clover, 304, 305.
 Trifolium incarnatum, 305.
 Trifolium medium, 304, 305.
 Trifolium pratense, 304, 305.
 trifolii-repentis, Trifolium re-
 pens, 304, 305.
 white clover, 304, 305.
 Urophlyctis alfalfae, alfalfa, 300.
 Uropyxis amorphae, false indigo, 396.

Ustilago avenae, oats, 280, 325.
erythronii, (see *U. heufleri*), 427.
heufleri, *Erythronium americanum*,
 427.
hordei, barley, 248, 277, 323.
hypodites, *Agropyron repens*, 315.
levis, oats, 280, 325.
longissima, *Panicularia grandis*, 315.
neglecta, *Chaetochloa lutescens*, 315.
 (see *U. panici-glauci*), 423.
nuda, barley, 248, 277, 323.
panici-glauci, *Chaetochloa glauca*,
 423.
panici-miliacci, *Panicum miliaceum*,
 316.
pustulata, *Panicum dichotomiflorum*,
 316.
rabenhorstiana, *Panicum dichotomiflo-*
rum, 316.
Syntherisma sanguinalis, 316.
striaeformis, *Agrostis palustris*,
 316, 417.
Poa compressa, 316.
Poa pratensis, 316.
timothy, 310.
tritici, rye, 247, 276.
 wheat, 254, 320.
tulipae, (see *U. heufleri*), 427.
zeae, corn, 287, 327.

V

Valsa leucostoma, apple, 84.
 peach, 105.
 plum, prune, 109.
Venturia inaequalis, apple, 40, 340.
 hawthorn, 368.
kalmiae, *kalmia*, 397.
pulchella, *Chamaedaphne calyculata*, 424.
pyrina, pear, 91, 343.
 sp., *Leucothoe axillaris*, 431.
Vermicularia ipomoeorum, morning-glory,
 399.
 sp., *Eleusine* sp., 316.
Verticillium, apricot, 113.
albo-atrum, *Aralia cordata*, 243.
chrysanthemum, 390.
 eggplant, 237.
 okra, 239.
 peony, 402.
 potato, 16, 149, 169.
 udo, 151, 243.
 sp., almond, 147.

apricot, 37.
 lima bean, 190.
 maple, 373.
Volutella fructi, apple, 84.
 sp., *delphinium*, 392.

W

Water core, apple, 84.
 Western yellow blight, tomato, 178.
 Whiptail, cauliflower, 198.
 White spot, alfalfa, 247, 301.
 pine, 359.
 White tip, carnation, 389.
 Wilt, coconut palm, 400.
 eggplant, 237.
 Mexican Washington palm, 401.
 raspberry, 127.
 sweet pea, 414.
 tomato, 179.
 Winter blight, tomato, 179.
 Winter injury, apple, 85.
 Austrian pine, 352.
 cherry, 112.
 fortune forsythia, 393.
 grape, 116.
 loganberry, 128.
 maple, 373.
 mountain ash, 361.
 peach, 105.
 pear, 92.
 pecan, 146.
 raspberry, 127.
 rose, 410.
 strawberry, 119, 120.
 Winter killing, sycamore, 380.
Wojnowicia graminis, *Agropyron repens*,
 270, 316.
 wheat, 247, 316.

X

Xylaria digitata, apple, 81.
 sp., apple, 81.

Y

Yellow dwarf, potato, 149, 169.
 Yellows, aster, 386.
 peach, 101, 341.
 peony, 402.
 plum, prune, 109.
 strawberry, 120.

ERRATA AND EXPLANATION

Page

- Done 7 Read "Sclerotium cepivorum" instead of "Sclerotinia cepivorum".
 Done 11 Read "Bacterium campestre" instead of "B. campestra".
 Done 15 Read "Sclerotium cepivorum" instead of "S. ceporum".
 Done 91, 109, 139, 142, and 386 Read "Septobasidium pedicellatum" instead of "pedicillatum".
 Done 109 Read "Septobasidium pseudopedicellatum" instead of "S. pseudopedicellatum".
 Done 116 Read "Sphaceloma" instead of "Sphacetoma".
 Done 127 and 130 Read "Acrostalagmus" instead of "Acrostolagmus".
 Done 139 Read "Tylenchus" instead of "Tylenchulus".
 Done 141 Read "Heterodera radiceicola" instead of "H. radiciola".
 Done 177 Read "Heterodera radiceicola" instead of "H. radicioila".
 Done 191 Read "Fusarium cepa" instead of "F. cepae".
 Done 213 Read "Sclerotinia libertiana" instead of "S. libertiniana".
 Done 221 Read "Asochyta" instead of "Asochyta".
 Done 233 Read "Phytophthora nicotianae" instead of "P. nicotiana".
 Done 246 Read "Bacterium coronafaciens atropurpureum" instead of "B. coronafaciens atropureum".
 Done 310 Read "Sclerotium rolsfii" instead of "S. rolsfii".
 Done 315 Read "Ustilago longissima" instead of "U. longisma".
 Done 335 Read "Bacterium solanacearum" instead of "Encillus solanacearum".
 Done 350 Read "Juniperus" instead of "Puniperus".
 Done 370 Read "Fusarium cinnabarinum" instead of "F. cinnabarium".
 Done 371 Read "Pholiota adiposa" instead of "P. adoposa".
 Done 386 Read "Exobasidium azaleae" instead of "E. azalea".

Robinson

Page

- Done 388 Read "Macrophoma candollei" instead of "Macrosphoma".
 Done 393 Read "Oidium euonymi-japonici" instead of "O. euonymi-japonica".
 Done 404 Read "Rhododendron arborescens" instead of "R. arborescans".
 Done 405 Read "Rhododendron carolinianum" instead of "R. carolianum".
 Done 406 Read "Actinonema" instead of "Actinomema".
 Done 415 Read "Viburnum" instead of "Vibernum".
 Done 417 Read "Cercospora atricingta" instead of "C. atricingota".
 Done 418 Read "Cystopus bliti" instead of "C. blite".
 Done Read "Amaranthus" instead of "Amarathus".
 Done 421 Read "Ramularia" instead of "Ramularis".
 Done 422 Read "Sphaerotheca humuli var. fuliginea" instead of "S. humuli var. filiginea".
 Done 423 Read "Melanogramma" instead of "Melamogramma".
 424 Read "Phyllachora" instead of "Phyllochora".
 Done Read "Erysiphe galeopsidis" instead of "E. galcopsidis".
 Done 425 Read "Comandra" instead of "Commandra".
 Done 433 Read "Uredinopsis" instead of "Urediniopsis".
 Done 437 Read "Magnusiella" instead of "Magnesiella".

Mr. G. M. Darrow,
 Horticulture & Pomology
 Bureau of Plant Industry.

